

Version: 1

Review date: 07/25/2025



SECTION 1: IDENTIFICATION

Product identifier used on the label Targus

Recommended use of the chemical and restrictions on use

TARGUS is a remover of adhesive glue, tar, spray paints, grease, oil, paint marks of different types of pens and petroleum-derived contaminations. The product has been developed with natural solvents and is environmentally friendly. IMPORTANT: The product is compatible with most types of glues and surfaces, however, it is necessary to perform a test on a small area to check the compatibility of the glue removal, in addition to doing a surface resistance test to avoid possible stains that may be irreversible.

Manufactured by EVC INDUSTRIAL LTDA

Address Rua Luis Francisco Xavier n.º 520 Paupina - Fortaleza, CE

Telephone number +55 0800 591 6496

Fax Not available

Emergency phone number +55 0800 591 6496

Email sac@vonixx.com.br e info@vonixx.com

Web site www.vonixx.com.br

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 Classification of mixture

This product is not hazardous as defined under OSHA 1900.1200

2.2 Appropriate labeling elements

No specific element or phrase on the label.

2.3 Other hazards that do not result in classification

Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixture

Hazardous Ingredients or Impurities

Common chemical name or technical name	CAS Registration Number	Concentration or range	
Terpinolene	586-62-9	60.75% - 74.25%	
Butoxyethanol	111-76-2	10% - 20%	
Ethoxylated Nonylphenol (Ultranex 95)	9016-45-9	5% - 10%	
Octanal, 2-(phenylmethylene)-, (2E)-	165184-98-5	3.15% - 3.85%	

SECTION 4: FIRST-AID MEASURE

4.1 Description of first aid measures

Inhalation Not available
Skin contact Not available
Eye contact Not available
Ingestion Not available

4.2 Most important symptoms/effects, acute and delayed

Not available

4.3 Indication of any immediate medical attention and special treatment needed



Version: '

Review date: 07/25/2025



Not available

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Not available

5.2 Special hazards arising from the substance or mixture

Not available

5.3 Special protective equipment and precautions for fire-fighters

Not available

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment, and emergency procedures

6.1.1 For personnel who are not part of the emergency services

Not available

6.1.2 For emergency service personnel

Not available

6.2 Environmental precautions

Not available

6.3 Methods and materials for containment and cleaning up

Not available

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Not available

7.2 Conditions for safe storage, including any incompatibilities

Not available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Appropriate engineering controls

Not available

Butoxyethanol (111-76-2)								
ACGIH	TWA: Not available (mg/m³)	TWA: 20 ppm	STEL: Not available (mg/m³)	STEL: Not available (ppm)	(C): Not available (mg/m³)	(C): Not available (ppm)		

8.2 Exposure controls

Biological Limit (s)

Not available

8.3 Personal protective equipment

Eye/face protectionNot availableSkin and body protectionNot availableRespiratory protectionNot availableThermal hazardsNot available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties



Version: 1

Review date: 07/25/2025



Appearance Liquid fluid-solution, Greenish yellow.

Odor and odor threshold Pine

pH Not available

Melting point/freezing point Not available

Initial boiling point and boiling range Not available

Flash point Not available

Evaporation rate Not available

Flammability (solid, gas)

Not available

Upper/lower flammability or explosive limits

Not available

Vapor pressure Not available
Vapor density Not available

Relative density >= 0.85 to 0.88 g/cm³ to 25 °C

Solubility(ies) Miscible in water
Partition coefficient: n-octanol/water Not available
Auto-ignition temperature Not available
Decomposition temperature Not available

Kinematic viscosity

Not available

Dynamic viscosity

Not available

SECTION 10: STABILITY AND REACTIVITY

Additional information

Reactivity Not available

Chemical stability The product is chemically stable under standard ambient conditions.

Not available

Possibility of hazardous reactions Not available

Conditions to avoid High temperatures.

Incompatible materials Not available

Hazardous decomposition products

No known hazardous products of decomposition

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity Not available

Skin corrosion/irritation It causes skin irritation with redness, pain and dryness.

Serious eye damage/eye irritation It causes severe eye irritation with redness and pain.

may cause a skin allergic reaction. It can cause a skin allergic reaction with itching and dermatosis. It can cause allergic reactions in the skin

with itching and dermatosis.

Germ cell mutagenicity Not available



Version: 1

Review date: 07/25/2025



Carcinogenicity

Not available
Toxicity to reproduction

Not available
Specific target organ toxicity - single exposure

Not available
Specific target organ toxicity - repeated exposure

Not available
Aspiration hazard

Not available

SECTION 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Not available

12.2 Persistence and degradability

It is expected that the product does not persist and is quickly degradable.

12.3 Bioaccumulative potential

Unavailable.

Ethoxylated Nonylphenol (Ultranex 95)

Partition coefficient n-octanol /water (log Kow): 3.7 to 25 °C.

Butoxyethanol

Partition coefficient n-octanol /water (log Kow): 0.83 to 20 °C.

Octanal, 2-(phenylmethylene)-, (2E)-

Partition coefficient n-octanol /water (log Kow): 5.3 to 24 °C.

Terpinolene

Partition coefficient n-octanol /water (log Kow): 4.47.

12.4 Mobility in soil

Not available

12.5 Other adverse effects

Not available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Not available

Rest of the product Not available

Used packaging Not available

SECTION 14: TRANSPORT INFORMATION

Ground transportation UN - "United Nations" Recommendations on the TRANSPORT OF

DANGEROUS GOODS. Model Regulations

Maritime transport

Rules of maritime authority (NORMAM). NORMAM 01/DPC: vessels employed in open sea navigation. NORMAM 02/DPC: vessels employed

in interior navigation. IMO - "International Maritime Organization". International Maritime Dangerous Goods Code (IMDG Code).



Version: 1

Review date: 07/25/2025



Air transport

SUPPLEMENTARY INSTRUCTION - IS. ICAO \"International Civ Aviation Organization\" - Doc 9284-NA / 905. IATA - \"International Air Transport Association\". Dangerous Goods Regulation (DGR).

UN number

Product not classified as hazardous for transport.

SECTION 15:

REGULATORY INFORMATION

N/A

SECTION 16: OTHER INFORMATION

References

REACH: REGISTRATION, EVALUATION, AUTHORIZATION AN RESTRICTION OF CHEMICALS. Commission Regulation (EC) No 1272/2008 of December 2008 amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals. Available in: . Access in: 07/25/2025

ECHA: EUROPEAN CHEMICAL AGENCY. Available inAccess in:

07/25/2025

LevelOne: Level One Solutions Consultoria Ltda. Available in:

https://www.levelonesolutions.com.br. Access in: 07/25/2025

Subtitles and abbreviations

Other information

Not available

This SDS has been prepared on the basis of current knowledge on the proper handling of the product and under normal conditions of use, according to the application specified on the package. Any other use of the product that involves its combination with other materials, in addition to forms of use other than those indicated, are the responsibility of the user. It is advised that the handling of any chemical substance requires prior knowledge of its hazards by the user. At the workplace, the company that uses the product should promote the training of its employees regarding the possible risks arising from exposure to the chemical.